

Contents

| | |
|------------------------------|-----|
| Impressum | IV |
| Contents | V |
| Introduction | IX |
| Acknowledgements | X |
| Notes on using this book | X |
| Classification of Echinoidea | 501 |
| Graphic of Classification | 502 |

Systematic descriptions

| | |
|--|-------------------------------------|
| CLASS ECHINOIDEA 503 | Order Clypeasteroida 533 |
| Infraclass Acroechinoidea 503 | Suborder Clypeasterina 534 |
| Irregularia 503 | Clypeasteridae 534 |
| Superorder Eognathostomata 503 | <i>Clypeaster</i> 534 |
| Order Echinoneoidea 504 | <i>Clypeaster annandalei</i> 536 |
| Echinoneidae 504 | <i>Clypeaster chesheri</i> 537 |
| <i>Koehleraster</i> 504 | <i>Clypeaster cyclopilus</i> 538 |
| <i>Koehleraster abnormalis</i> 504 | <i>Clypeaster euclastus</i> 539 |
| <i>Micropetalon</i> 505 | <i>Clypeaster eurychorius</i> 539 |
| <i>Micropetalon purpureum</i> 505 | <i>Clypeaster fervens</i> 541 |
| Series Neognathostomata 506 | <i>Clypeaster lamprus</i> 542 |
| Order Cassiduloidea 506 | <i>Clypeaster latissimus</i> 543 |
| Apatopygidae 507 | <i>Clypeaster luetkeni</i> 544 |
| <i>Apatopygus</i> 507 | <i>Clypeaster miniaceus</i> 545 |
| <i>Apatopygus occidentalis</i> 507 | <i>Clypeaster ochrus</i> 546 |
| Cassidulidae 508 | <i>Clypeaster pateriformis</i> 547 |
| <i>Cassidulus</i> 508 | <i>Clypeaster □rostrates</i> 547 |
| <i>Cassidulus infidus</i> 508 | <i>Clypeaster rangianus</i> 548 |
| <i>Cassidulus malayanus</i> 509 | <i>Clypeaster rarispinus</i> 550 |
| <i>Cassidulus mitis</i> 510 | <i>Clypeaster ravenelii</i> 551 |
| <i>Eurhodia</i> 511 | <i>Clypeaster rotundus</i> 552 |
| <i>Eurhodia relictata</i> 511 | <i>Clypeaster</i> sp. 553 |
| <i>Oligopodia</i> 512 | <i>Clypeaster telurus</i> 554 |
| <i>Oligopodia epigonus</i> 512 | <i>Clypeaster virescens</i> 555 |
| Echinolampadidae 514 | Suborder Laganina 556 |
| <i>Conolampas</i> 514 | Fibulariidae 556 |
| <i>Conolampas malayana</i> 515 | <i>Echinocyamus</i> 557 |
| <i>Conolampas murrayana</i> 516 | <i>Echinocyamus apicatus</i> 558 |
| <i>Conolampas sigsbei</i> 516 | <i>Echinocyamus convergens</i> 558 |
| <i>Echinolampas</i> 518 | <i>Echinocyamus elegans</i> 558 |
| <i>Echinolampas alexandri</i> 519 | <i>Echinocyamus grandiporus</i> 558 |
| <i>Echinolampas chuni</i> 520 | <i>Echinocyamus grandis</i> 558 |
| <i>Echinolampas crassa</i> 521 | <i>Echinocyamus incertus</i> 558 |
| <i>Echinolampas keiensis</i> 522 | <i>Echinocyamus macrostomus</i> 558 |
| <i>Echinolampas rangii</i> 523 | <i>Echinocyamus megapetalus</i> 558 |
| <i>Echinolampas sternopetala</i> 524 | <i>Echinocyamus planissimus</i> 559 |
| <i>Echinolampas sumatrana</i> 525 | <i>Echinocyamus platytatus</i> 559 |
| Neolampadidae 526 | <i>Echinocyamus provectus</i> 559 |
| <i>Anochanus</i> 526 | <i>Echinocyamus pusillus</i> 560 |
| <i>Anochanus sinensis</i> 526 | <i>Echinocyamus scaber</i> 560 |
| <i>Aphanopora</i> 527 | <i>Echinocyamus sollers</i> 560 |
| <i>Aphanopora echinobrissoides</i> 527 | <i>Echinocyamus crispus</i> 561 |
| <i>Nanolampas</i> 528 | <i>Fibularia</i> 562 |
| <i>Nanolampas tenera</i> 528 | <i>Fibularia cribellum</i> 562 |
| <i>Neolampas</i> 529 | <i>Fibulariella</i> 563 |
| <i>Neolampas rostellata</i> 529 | <i>Fibulariella angulipora</i> 564 |
| <i>Studeria</i> 530 | <i>Mortonia</i> 565 |
| <i>Studeria recens</i> 530 | <i>Mortonia polyporus</i> 566 |
| <i>Tropholampas</i> 531 | Laganidae 567 |
| <i>Tropholampas loveni</i> 532 | <i>Laganum</i> 567 |

| | | | |
|---|------------|-----------------------------------|------------|
| <i>Laganum boninensis</i> | 568 | <i>Spatagocystis challengerii</i> | 614 |
| <i>Laganum fudsiyama</i> | 568 | Calymnidae | 615 |
| <i>Laganum joubini</i> | 569 | <i>Calymne relicta</i> | 615 |
| <i>Laganum retinens</i> | 569 | <i>Sternopatagus</i> | 616 |
| <i>Peronella</i> | 570 | <i>Sternopatagus sibogae</i> | 616 |
| <i>Peronella hinemoae</i> | 571 | Order Spatangoida | 617 |
| <i>Peronella keiensis</i> | 572 | Spatangoid Classification | 618 |
| <i>Peronella macroproctes</i> | 573 | Suborder Hemiasterina | 619 |
| <i>Peronella pellucida</i> | 574 | Aeropsidae | 619 |
| <i>Peronella rubra</i> | 575 | <i>Aeropsis</i> | 620 |
| Suborder Scutellina | 576 | <i>Aeropsis fulva</i> | 621 |
| Dendrasteridae | 576 | <i>Aeropsis rostrata</i> | 622 |
| <i>Dendraster</i> | 577 | Hemiasteridae | 623 |
| <i>Dendraster vizcainoensis</i> | 578 | <i>Hemiaster</i> | 623 |
| <i>Dendraster terminalis</i> = <i>D. laevis</i> | 578 | <i>Hemiaster expurgitus</i> | 623 |
| <i>Sinaechinocyamus</i> | 579 | <i>Hemiaster gibbosus</i> | 624 |
| <i>Sinaechinocyamus mai</i> | 580 | <i>Hemiaster hickmani</i> | 625 |
| Mellitidae | 581 | <i>Palaeostoma</i> | 625 |
| <i>Encope</i> | 581 | <i>Palaeostoma mirabilis</i> | 626 |
| <i>Encope laevis</i> | 582 | <i>Sarsiaster</i> | 627 |
| <i>Encope perspectiva</i> | 583 | <i>Sarsiaster griegii</i> | 627 |
| Series Atelostomata | 584 | Suborder Micrasterina | 628 |
| Order Holasteroida | 585 | Micrasteridae | 628 |
| Urechinidae | 586 | <i>Cyclaster</i> | 628 |
| <i>Cystechinus</i> | 586 | <i>Cyclaster recens</i> | 629 |
| <i>Cystechinus giganteus</i> | 587 | <i>Isaster</i> | 630 |
| <i>Cystechinus loveni</i> | 587 | <i>Isaster obovatus</i> | 630 |
| <i>Cystechinus wyvillii</i> | 588 | Brissidae | 631 |
| <i>Pilematechinus</i> | 588 | <i>Anabrissus</i> | 632 |
| <i>Pilematechinus rathbuni</i> | 589 | <i>Anabrissus damesi</i> | 632 |
| <i>Pilematechinus vesica</i> | 589 | <i>Anametalia</i> | 633 |
| <i>Urechinus</i> | 590 | <i>Anametalia grandis</i> | 633 |
| <i>Urechinus naresianus</i> | 590 | <i>Anametalia regularis</i> | 634 |
| Plexechinidae | 592 | <i>Brissus</i> | 635 |
| <i>Plexechinus</i> | 592 | <i>Brissus obesus</i> | 635 |
| <i>Plexechinus aoteanus/parvus/planus</i> | 593 | <i>Cionobrissus</i> | 636 |
| <i>Plexechinus cinctus</i> | 594 | <i>Cionobrissus revinctus</i> | 636 |
| <i>Plexechinus hirsutus</i> | 595 | <i>Idiobrissus</i> | 637 |
| <i>Plexechinus spectabilis</i> | 597 | <i>Idiobrissus coelus</i> | 637 |
| <i>Plexechinus sulcatus</i> | 597 | <i>Meoma</i> | 637 |
| Pourtalesiididae | 598 | <i>Meoma cadenati</i> | 638 |
| <i>Ceratophysa</i> | 599 | <i>Meoma frangibilis</i> | 638 |
| <i>Ceratophysa ceratopyga</i> | 599 | <i>Metalia</i> | 639 |
| <i>Cystocrepis</i> | 600 | <i>Metalia nobilis</i> | 639 |
| <i>Cystocrepis setigera</i> | 600 | <i>Metalia persica</i> | 640 |
| <i>Echinocrepis</i> | 601 | <i>Metalia townsendi</i> | 642 |
| <i>Echinocrepis cuneata</i> | 601 | <i>Neopneustes</i> | 643 |
| <i>Echinosigra</i> | 602 | <i>Neopneustes micrasteroides</i> | 643 |
| <i>Echinosigra (Echinogutta) amphora</i> | 602 | <i>Plagiobrissus</i> | 643 |
| <i>Echinosigra phiale</i> | 603 | <i>Plagiobrissus africanus</i> | 644 |
| <i>Helgocystis</i> | 605 | <i>Rhynobrissus</i> | 645 |
| <i>Helgocystis carinata</i> | 605 | <i>Rhynobrissus cuneus</i> | 645 |
| <i>Pourtalesia</i> | 606 | <i>Rhynobrissus pyramidalis</i> | 646 |
| <i>Pourtalesia alcocki</i> | 608 | <i>Rhynobrissus sp.</i> | 648 |
| <i>Pourtalesia aurorae</i> | 608 | <i>Rhynobrissus tumulus</i> | 650 |
| <i>Pourtalesia debilis</i> | 608 | <i>Taimanawa</i> | 651 |
| <i>Pourtalesia hispida</i> | 609 | <i>Taimanawa relictus</i> | 652 |
| <i>Pourtalesia jeffreysi</i> | 610 | Brissopsidae | 654 |
| <i>Pourtalesia laguncula</i> | 611 | <i>Brissalius</i> | 654 |
| <i>Pourtalesia tanneri</i> | 611 | <i>Brissalius vannoordenburgi</i> | 654 |
| <i>Pourtalesia miranda</i> | 612 | <i>Brissopsis</i> | 656 |
| <i>Solenocystis</i> | 613 | <i>Brissopsis alta</i> | 658 |
| <i>Solenocystis imitans</i> | 613 | <i>Brissopsis atlantica</i> | 658 |
| <i>Spatagocystis</i> | 614 | <i>Brissopsis bengalensis</i> | 659 |

| | |
|---|-----|
| <i>Brissopsis columbaris</i> | 660 |
| <i>Brissopsis elongata</i> | 660 |
| <i>Brissopsis evanescens</i> | 661 |
| <i>Brissopsis cf. luzonica</i> | 662 |
| <i>Brissopsis lyrifera capensis</i> | 663 |
| <i>Brissopsis mediterranea</i> | 663 |
| <i>Brissopsis micropetala</i> | 665 |
| <i>Brissopsis obliqua</i> | 666 |
| <i>Brissopsis zealandica</i> | 667 |
| <i>Brissopsis pacifica</i> | 668 |
| <i>Brissopsis parallela</i> | 669 |
| <i>Brissopsis similis</i> | 670 |
| Echinocardiidae | 671 |
| Loveniidae | 672 |
| <i>Breynia</i> | 672 |
| <i>Breynia elegans</i> | 673 |
| <i>Breynia neanika</i> | 674 |
| <i>Lovenia</i> | 675 |
| <i>Lovenia cordiformis</i> | 676 |
| <i>Lovenia doederleini</i> | 677 |
| <i>Lovenia gregalis</i> | 678 |
| <i>Lovenia hawaiiensis</i> | 679 |
| <i>Lovenia triforis</i> | 680 |
| <i>Pseudolovenia</i> | 682 |
| <i>Pseudolovenia hirsuta</i> | 682 |
| Macropneustidae | 683 |
| <i>Argopatagus</i> | 683 |
| <i>Argopatagus aculeata</i> | 683 |
| <i>Argopatagus multispinus</i> | 684 |
| <i>Argopatagus planus</i> | 684 |
| <i>Argopatagus vitreus</i> | 685 |
| Maretiidae | 687 |
| <i>Eupatagus</i> | 687 |
| <i>Eupatagus flindersi</i> | 687 |
| <i>Eupatagus lymani</i> | 688 |
| <i>Eupatagus micropetalus</i> | 690 |
| <i>Eupatagus obscurus</i> | 691 |
| <i>Eupatagus valenciennesi</i> | 691 |
| <i>Granobrissoides</i> | 691 |
| <i>Granobrissoides hirsutus</i> | 692 |
| <i>Gymnopatagus</i> | 693 |
| <i>Gymnopatagus magnus</i> | 693 |
| <i>Gymnopatagus valdiviae</i> | 695 |
| <i>Hemimaretia</i> | 696 |
| <i>Hemimaretia elevata</i> | 696 |
| <i>Homolampas</i> | 697 |
| <i>Homolampas fragilis</i> | 697 |
| <i>Homolampas fulva</i> | 699 |
| <i>Homolampas glauca</i> | 699 |
| <i>Homolampas hastata</i> | 700 |
| <i>Homolampas loveniodes</i> | 700 |
| <i>Homolampas rostrata</i> | 701 |
| <i>Maretia</i> | 702 |
| <i>Maretia cordiformis</i> | 703 |
| <i>Nacospatangus = Gonimaretia, Pseudomaretia</i> | 705 |
| <i>Nacospatangus altus</i> | 705 |
| <i>Nacospatangus interruptus</i> | 707 |
| <i>Nacospatangus laevis</i> | 708 |
| <i>Nacospatangus oblongus</i> | 709 |
| <i>Nacospatangus tylotus</i> | 710 |
| <i>Pycnolampas</i> | 712 |
| <i>Pycnolampas oviformis</i> | 712 |
| Spatangidae | 713 |
| <i>Plethotaenia</i> | 713 |
| <i>Plethotaenia angularis</i> | 714 |
| <i>Plethotaenia spatangoides</i> | 714 |
| <i>Spatangus</i> | 715 |
| <i>Spatangus altus</i> | 716 |
| <i>Spatangus capensis</i> | 716 |
| <i>Spatangus luetkeni</i> | 717 |
| <i>Spatangus multispinus</i> | 718 |
| <i>Spatangus paucituberculatus</i> | 719 |
| Palaeotropidae | 720 |
| <i>Palaeobrissus</i> | 720 |
| <i>Palaeobrissus hilgardi</i> | 720 |
| <i>Palaeotropus</i> | 722 |
| <i>Palaeotropus josephinae</i> | 722 |
| <i>Paleotrema</i> | 724 |
| <i>Paleotrema loveni</i> | 724 |
| <i>Scrippsechinus</i> | 727 |
| <i>Scrippsechinus fisheri</i> | 727 |
| Micrasterine unnamed clade | 729 |
| <i>Elipneustes</i> | 729 |
| <i>Elipneustes denudatus</i> | 729 |
| <i>Eurypatagus</i> | 730 |
| <i>Eurypatagus grandiporus</i> | 731 |
| <i>Eurypatagus ovalis</i> | 732 |
| <i>Eurypatagus parvituberculatus</i> | 733 |
| <i>Linopneustes</i> | 735 |
| <i>Linopneustes brachypetalus</i> | 735 |
| <i>Linopneustes excentricus</i> | 736 |
| <i>Linopneustes fragilis</i> | 737 |
| <i>Linopneustes longispinus</i> | 738 |
| <i>Linopneustes murrayi</i> | 739 |
| <i>Linopneustes spectabilis</i> | 741 |
| <i>Paramaretia</i> | 743 |
| <i>Paramaretia peloria</i> | 743 |
| Suborder Paleopneustina | 745 |
| Superfamily Paleopneustidea | 746 |
| Pericosmidae | 746 |
| <i>Pericosmus</i> | 747 |
| <i>Pericosmus akabanus</i> | 747 |
| <i>Pericosmus bidens</i> | 749 |
| <i>Pericosmus cordatus</i> | 750 |
| <i>Pericosmus keiensis</i> | 751 |
| <i>Pericosmus macronesius</i> | 752 |
| <i>Pericosmus mauritanus</i> | 752 |
| <i>Pericosmus melanostomus</i> | 752 |
| <i>Pericosmus oblongus</i> | 753 |
| <i>Pericosmus porphyrocardius</i> | 753 |
| <i>Pericosmus tenuis</i> | 754 |
| Paleopneustidae | 755 |
| <i>Paleopneustes</i> | 755 |
| <i>Paleopneustes cristatus</i> | 755 |
| <i>Plesiozonus</i> | 757 |
| <i>Plesiozonus diomedea</i> | 757 |
| <i>Plesiozonus hirsutus</i> | 759 |
| <i>Plesiozonus tenuis</i> | 760 |
| Superfamily Schizasteridea | 761 |
| Schizasteridae | 761 |
| <i>Abatus</i> | 764 |
| <i>Abatus agassizii</i> | 765 |
| <i>Abatus beatriceae</i> | 765 |
| <i>Abatus bidens</i> | 766 |
| <i>Abatus cavernosus</i> | 766 |
| <i>Abatus cordatus</i> | 768 |
| <i>Abatus curvidens</i> | 768 |
| <i>Abatus elongatus</i> | 769 |
| <i>Abatus ingens</i> | 769 |

| | | | |
|-------------------------------------|-----|---------------------------------------|-----|
| <i>Abatus nimrodi</i> | 771 | <i>Hypselaster fragilis</i> | 801 |
| <i>Abatus philippii</i> | 772 | <i>Hypselaster jukesii</i> | 801 |
| <i>Abatus shackletoni</i> | 773 | <i>Hypselaster kempii</i> | 803 |
| <i>Aceste</i> | 774 | <i>Hypselaster limicolus</i> | 803 |
| <i>Aceste bellidifera</i> | 774 | <i>Moira</i> | 805 |
| <i>Aceste ovata</i> | 776 | <i>Moira clotho</i> | 806 |
| <i>Amphipneustes</i> | 778 | <i>Moira lachesinella</i> | 807 |
| <i>Amphipneustes bifidus</i> | 779 | <i>Moira stygia</i> | 809 |
| <i>Amphipneustes brevisternalis</i> | 780 | <i>Moiropsis</i> | 810 |
| <i>Amphipneustes davidi</i> | 780 | <i>Moiropsis claudicans</i> | 810 |
| <i>Amphipneustes koehleri</i> | 780 | <i>Ova</i> | 811 |
| <i>Amphipneustes lorioli</i> | 781 | <i>Ova (Aplospatangus) edwardsi</i> | 812 |
| <i>Amphipneustes marsupialis</i> | 783 | <i>Ova (Aplospatangus orbignyana)</i> | 813 |
| <i>Amphipneustes mironovi</i> | 784 | <i>Schizaster</i> | 814 |
| <i>Amphipneustes rostratus</i> | 784 | <i>Schizaster compactus</i> | 814 |
| <i>Amphipneustes similis</i> | 786 | <i>Schizaster doederleini</i> | 816 |
| <i>Brachysternaster</i> | 787 | <i>Schizaster floridiensis</i> | 817 |
| <i>Brachysternaster chesheri</i> | 787 | <i>Schizaster rotundatus</i> | 817 |
| <i>Brisaster</i> | 789 | <i>Tripylaster</i> | 818 |
| <i>Brisaster antarcticus</i> | 789 | <i>Tripylaster philippii</i> | 818 |
| <i>Brisaster capensis</i> | 791 | <i>Tripylus</i> | 820 |
| <i>Brisaster latifrons</i> | 791 | <i>Tripylus abatoides</i> | 820 |
| <i>Brisaster moseleyi</i> | 792 | <i>Tripylus cordatus</i> | 822 |
| <i>Brisaster owstoni</i> | 792 | <i>Tripylus excavatus</i> | 823 |
| <i>Delopatagus</i> | 794 | <i>Tripylus reductus</i> | 824 |
| <i>Delopatagus brucei</i> | 794 | Prenasteridae | 825 |
| <i>Diploporaster</i> | 795 | <i>Saviniaster</i> | 825 |
| <i>Diploporaster barbatus</i> | 795 | <i>Saviniaster enodatus</i> | 826 |
| <i>Genicopatagus</i> | 797 | Paleopneustine unnamed clade | 827 |
| <i>Genicopatagus affinis</i> | 797 | <i>Heterobrissus</i> | 828 |
| <i>Hypselaster</i> | 800 | <i>Heterobrissus hemingi</i> | 828 |
| <i>Hypselaster affinis</i> | 800 | <i>Heterobrissus hystrix</i> | 829 |

| | |
|----------------------|-----|
| Map of Antarctica | 831 |
| Bibliography | 832 |
| Index | 837 |
| Abbreviations | 849 |
| Photographic credits | 849 |

2009 copyright by:

Heinke & Peter Schultz Partner
 Scientific Publications
 Dorfstr. 32
 D-25485 Hemdingen
 Germany
 Fax: + 0049 (0) 4123 68 31 54
 More Information: <http://www.sea-urchins.com>
 e-mail: hpsp@sea-urchins.com